






DIN 5 Pin (male)	Type No.	Pin Assignment	
		PIN No.	Output
	R1B	1	-Vo
		2	-Vo
		3	+Vo
		4	-Vo
		5	+Vo
NEUTRIK XLR NC4FX equivalent	Type No.	Pin Assignment	
	MIC4	PIN No.	Output
		1	+Vo
		2	+Vo
		3	-Vo
4	-Vo		
MOLEX 39-01-2060 (4.2mm) equivalent	Type No.	Pin Assignment	
 <p>FG not connected to output connector</p>	C6P	PIN No.	Output
		1	+Vo
		2	+Vo
		3	+Vo
		4	-Vo
		5	-Vo
6	-Vo		
AMP 1-480702-0 (6.35mm) equivalent	Type No.	Pin Assignment	
 <p>FG not connected to output connector</p>	C4P	PIN No.	Output
		1	+Vo
		2	+Vo
		3	-Vo
4	-Vo		
Stripped and tinned leads	Type No.	Pin Assignment	
 <p>Length of Land L1 by request (MW's standard length, L: <u>25</u> mm, L1: <u>5</u> mm)</p>	by customer	1	+Vo
		2	-Vo

Installation Manual

Please refer to : <http://www.meanwell.com/manual.html>